

Rewilding in Scotland: What Does it Mean?

Calum Brown

Rob McMorran, Martin Price

Thursday 13 May 2010



University
of
St Andrews

— REWILDING

- definition
- keystone species
- evidence

— IN SCOTLAND

- extinctions
- reintroductions
- potential for rewilding

— Why rewild?


Main Questions

What is rewilding?

- scientific and philosophical basis

Relevance to Scotland

- the 'de-wilding' of Scotland
- what rewilding would entail
- the case for rewilding



— REWILDING

- definition
- keystone species
- evidence

— IN SCOTLAND

- extinctions
- reintroductions
- potential for rewilding

— Why rewild?

Definition of Rewilding

“the scientific argument for restoring big wilderness based on the regulatory role of large predators”¹

1. Large ‘core’ reserves
2. Connectivity
3. Keystone species

— REWILDING

- definition
- keystone species
- evidence

— IN SCOTLAND

- extinctions
- reintroductions
- potential for rewilding

— Why rewild?

Definition of Rewilding

“the scientific argument for restoring big wilderness based on the regulatory role of large predators”¹

1. Large ‘core’ reserves
2. Connectivity
3. Keystone species

Moral basis: rewilding justified “because of our duty to repair past mistakes in management” and repair anthropogenic damage²

— REWILDING

- definition
- keystone species
- evidence

— IN SCOTLAND

- extinctions
- reintroductions
- potential for rewilding

— Why rewild?

Keystone Species

Species (often at top of food chain) which have disproportionate effect on their ecosystem relative to their abundance.

Stabilising effect of predation on competitive interactions well established ^{3,4}



Predator-prey interactions initiate beneficial 'trophic cascades' through community ⁶

— REWILDING

- definition
- keystone species
- evidence


— IN SCOTLAND

- extinctions
- reintroductions
- potential for rewilding

— Why rewild?

Evidence for Keystones

Reintroduction and return of wolves to Yellowstone and Banff National Parks ^{7,8}



— REWILDING

- definition
- keystone species
- evidence

— IN SCOTLAND

- extinctions
- reintroductions
- potential for rewilding


— Why rewild?

Evidence for Keystones

Reintroduction and return of wolves to Yellowstone and Banff National Parks ^{7,8}

Observed in wide range of marine and terrestrial ecosystems ^{9,10}

Ecosystem structure resembles original state following return of keystone species



“sites with a fuller complement of apex predators often support a greater number of species, may be more productive, and deliver higher-quality ecosystem services” ¹¹

— REWILDING

- definition
- keystone species
- evidence


— IN SCOTLAND

- extinctions
- reintroductions
- potential for rewilding

— Why rewild?

An American Concept?

North American extinctions very recent and clearly due to hunting, persecution or habitat destruction



Do the same arguments apply in Scotland?

Canadian Museum of Civilization

— REWILDING

- definition
- keystone species
- evidence

— IN SCOTLAND

- extinctions
- reintroductions
- potential for rewilding

— Why rewild?

Rewilding in Scotland



Relevance of rewilding:

- are we responsible for (keystone) species extinctions?
- could extinct species still function as keystones?
- can/should we reintroduce them?
- what else would rewilding entail?

— REWILDING

- definition
- keystone species
- evidence




— IN SCOTLAND

- extinctions
- reintroductions
- potential for rewilding

— Why rewild?

Scottish Megafauna

Numerous species extinct since end of last glaciation ¹²



Some uncertainty over role of humans and climate change in extinctions

Similar loss of megafauna occurred worldwide following human arrival; not always coincident with climate change

— REWILDING

- definition
- keystone species
- evidence

— IN SCOTLAND

- extinctions
- reintroductions
- potential for rewilding

— Why rewild?

Human Role in Extinctions

Some of the earliest detectable human activity related to agriculture¹³

Forest cover contracted from ~5000 BP as climate became warmer and wetter, and agricultural activity intensified^{14,15,16}

Persecution of predators to protect livestock and expanding human population

Elk and Lynx among the first species almost certainly eradicated by human activity^{17,18}

Extinctions Caused by Humans

— REWILDING

- definition
- keystone species
- evidence



— IN SCOTLAND

- extinctions
- reintroductions
- potential for rewilding

— Why rewild?

Increasing evidence of persecution:

‘Caledonian bear’ hunted and used in Roman gladiatorial contests ¹⁹



Wolves “effectively extirpated” by hunting and “cutting down or burning whole tracts of the forests which harboured them” ²⁰

Other species (e.g. Aurochs) suffered from hunting and habitat loss

Increasing intervention with large-scale sheep farming and sporting estates



— REWILDING

- definition
- keystone species
- evidence

— IN SCOTLAND

- extinctions
- reintroductions
- potential for rewilding

— Why rewild?

	Date of Extinction	Probable Causes of Extinction
Elk	after 4,000 BP	Hunting; Habitat Loss
Auroch	after 2,000 BP (?)	Hunting; Habitat Loss
Lynx	after 1,800 BP	Hunting; Persecution; Habitat Loss
Brown Bear	10 th Century (?)	Hunting; Persecution; Habitat Loss
Crane	after 15 th Century	Habitat Loss; Hunting
White Stork	15 th Century	Habitat Loss
Beaver	16 th Century	Hunting; Habitat Loss
Great Bustard	16 th Century	Habitat Loss; Hunting
Wild Boar	17 th Century (?)	Hunting; Habitat Loss
Wolf	17 th Century	Hunting; Persecution; Habitat Loss
Capercaillie	18 th Century	Habitat Loss; Hunting
Great Auk	19 th Century	Habitat Loss; Hunting
Bittern	19 th Century	Habitat Loss; Hunting
Red Squirrel	19 th Century (?)	Habitat Loss
Great Spotted Woodpecker	19 th Century	Habitat Loss; Hunting
Red Kite	20 th Century	Persecution
Goshawk	20 th Century	Persecution
Spotted Crake	20 th Century	Habitat Loss
Polecat	20 th Century	Persecution
Osprey	20 th Century	Persecution
Sea Eagle	20 th Century	Persecution

— REWILDING

- definition
- keystone species
- evidence

— IN SCOTLAND

- extinctions
- reintroductions
- potential for rewilding

— Why rewild?

Moral Case

Do we have a responsibility to reintroduce extinct species?

Obligated by European legislation (1979 Bern Convention & 1992 Habitats Directive) to consider feasibility of reintroductions

Cultural considerations:

lack of true wilderness and utilitarian view of natural environment;

loss of agriculture associated with cultural decline²²

Are Reintroductions Possible?

Have environments 'moved on'?

large-scale deforestation;

adaptation of remaining flora and fauna;

human land use



— REWILDING

- definition
- keystone species
- evidence

— IN SCOTLAND

- extinctions
- reintroductions
- potential for rewilding

— Why rewild?

Are Reintroductions Possible?

Have environments 'moved on'?

large-scale deforestation;

adaptation of remaining flora and fauna;

human land use

Species not absent for ecologically significant timescales ^{23,24}

Reforestation a pre-requisite for some species (e.g. bear) but viable populations of others (e.g. beaver²⁶, lynx²⁷, wolves²⁸) are possible and would aid environmental recovery

Public attitudes reasonably favourable & effects on agriculture may be minimised

— REWILDING

- definition
- keystone species
- evidence

— IN SCOTLAND

- extinctions
- reintroductions
- potential for rewilding

— Why rewild?

Rewilding and Conservation

— REWILDING

- definition
- keystone species
- evidence

— IN SCOTLAND

- extinctions
- reintroductions
- potential for rewilding

— Why rewild?

Is rewilding compatible with other conservation and restoration strategies?

Potential problems:

- lack of management perceived as unhelpful in Scotland
- reintroduction of species impractical and distracting?
- strict protection of large areas difficult

Areas of agreement:

- restoration of natural habitats and native woodland
- primacy of natural processes
- socio-economic benefit?

— REWILDING

- definition
- keystone species
- evidence

— IN SCOTLAND

- extinctions
- reintroductions
- potential for rewilding

— Why rewild?

Why Rewild?

Ecological justification:

Scottish environment remains adapted to the presence of keystone species; productivity and diversity would increase; costly human management would be unnecessary

Aesthetic justification:

Benefits associated with access and enjoyment of wild land and attraction of 'self-willed' environment

Philosophical justification:

Gives cogency and context to conservation projects; defined objective of complete ecosystem

“our goal should not be to eliminate any traces of human use or effect...this is impossible. Instead, our goal should be to restore the primacy of natural forces”²⁵

“a cynic might describe rewilding as an atavistic obsession with the resurrection of Eden. A more sympathetic critic might label it romantic. We contend, however, that rewilding is simply scientific realism”¹



Thank You



University
of
St Andrews

References

1. SOULÉ, M.E. AND NOSS, R.F., 1998. Rewilding and biodiversity conservation: complementary goals for continental conservation. *Wild Earth*, 8 (3), 18-28.
2. SOULÉ, M.E. AND TERBORGH, J. (eds.), 1999a. *Continental conservation: scientific foundations of regional reserve networks*. Washington D.C.: Island Press.
3. GAUSE, G.F., 1934. *The struggle for existence*. Baltimore: Williams & Wilkins Company.
4. SLOBODKIN, L.B., 1964. Experimental populations of Hydrida. *The journal of animal ecology*, 33, 131-148.
5. PAINE, R.T., 1966. Food web complexity and species diversity. *The American naturalist*, 100 (910), 65-75.
6. Schmitz, O.J., Hamback, P.A., Beckerman, A.P., 2000. *Trophic cascades in terrestrial systems: a review of the effects of carnivore removals on plants*. *American Naturalist*, 155 (2), 141-153
7. HEBBLEWHITE, M., WHITE, C.A., NIETVELT, C.G., MCKENZIE, J.A., HURD, T.E., FRYXELL, J.M., BAYLEY, S.E., PAQUET, P.C., 2005. Human activity mediates a trophic cascade caused by wolves. *Ecology*, 86 (8), 2135-2144.
8. RIPPLE, W.J. AND BESCHTA, R.L., 2007. Restoring Yellowstone's aspen with wolves. *Biological conservation*, 138 (3-4), 514-519.
9. Halaj, J. & Wise, D.H., 2001. *Terrestrial trophic cascades: how much do they trickle?* *American Naturalist*, 157 (3), 262-281
10. CROOKS, K.R. AND SOULÉ, M.E., 1999. Mesopredator release and avifaunal extinctions in a fragmented system. *Nature*, 400, 563-566.
11. LARSON, A.J. AND PAINE, R.T., 2007. Ungulate herbivory: indirect effects cascade into the treetops. *Proceedings of the National Academy of Sciences (PNAS)*, 104 (1), 5-6.
12. YALDEN, D.W., 1999. *The history of British mammals*. London: T & A D Poyser.

13. MITHEN, S., FINLAY, N., CARRUTHERS, W., CARTER, S., ASHMORE, P., 2001. Plant use in the Mesolithic: evidence from Staosnaig, Isle of Colonsay, Scotland. *Journal of archaeological science*, 28 (3), 223-234
14. SMOUT, T.C. (ed.), 1997. *Scottish woodland history*. Edinburgh: Scottish Cultural Press.
15. SMOUT, T.C. (ed.), 2003. *People and woods in Scotland: a history*. Edinburgh: Edinburgh University Press.
16. DUMAYNE-PEATY, L., 1998. Human impact on the environment during the Iron Age and Romano-British times: palynological evidence from three sites near the Antonine wall, Great Britain. *Journal of archaeological science*, 25 (3), 203-214.
17. HETHERINGTON, D.A., LORD, T.C., JACOBI, R.M., 2005. New evidence for the occurrence of Eurasian lynx (*Lynx lynx*) in medieval Britain. *Journal of quaternary science*, 21, 3-8.
18. KITCHENER, A.C. AND BONSALL, C., 1997. AMS radiocarbon dates for some extinct Scottish mammals. *Quaternary newsletter*, 83, 1-11.
19. Epplert, C., 2001. The Capture of Animals by the Roman Military. *Greece & Rome (Second Series)*, 48, pp 210-222
20. HARTING, 1880. *British animals extinct within historic times, with some account of the British wild white cattle*. London: Trubner.
21. KITCHENER, A.C., 1998. Extinctions, introductions and colonisations of Scottish mammals and birds since the last ice age. In Lambert, R.A. (ed.), *Species history in Scotland*. Edinburgh: Scottish cultural press.
22. McMORRAN, R., PRICE, M.F., WARREN, C.R., 2008. The call of different wilds: the importance of definition and perception in protecting and managing Scottish wild landscapes. *Journal of environmental planning and management*, 51 (2), 177-199.
23. CALLICOTT, J.B., 2002. Choosing appropriate temporal and spatial scales for ecological restoration. *Journal of biosciences*, 27 (4), 409-420.
24. NOVACEK, M.J. AND CLELAND, E.E., 2001. The current biodiversity extinction event: scenarios for mitigation and recovery. *Proceedings of the National Academy of Sciences of the United States of America*, 98 (10), 5466-5470.

25. KLYZA, C.M. (ed.), 2001. *Wilderness comes home – rewilding the northeast*. Hanover, NH: University Press of New England.

26. VINES, G., 2007. Don't fear the beaver. *New scientist*, 195 (2618), 42-45.

27. HETHERINGTON, D.A., MILLER, D.R., MACLEOD, C.D., GORMAN, M.L., 2008. A potential habitat network for the Eurasian lynx *Lynx lynx* in Scotland. *Mammal review*, Article in press.

28. NILSEN, E.B., MILNER-GULLAND, E.J., SCHOFIELD, L., MYSTERUD, A., STENSETH, N.C., COULSON, T., 2007. Wolf reintroduction to Scotland: public attitudes and consequences for deer management. *Proceedings of the Royal Society B: biological sciences*, 274 (1612), 995-1002.

